



- N. B. (1) Question No.1 is compulsory.  
 (2) Attempt any 3 questions from remaining five questions.  
 (3) Assume suitable data if necessary and mention the same clearly.  
 (4) Take  $g = 9.81 \text{ m/s}^2$ .

Q1. Solve any Five

- a) A car is made to move by applying resultant force  $R=2000\text{N}$  along the x-axis. This resultant is developed due to two pulling forces  $F_1$  and  $F_2$  on two ropes as shown in figure. Determine the tension in individual ropes. (03)




- b) For the member shown in figure find the magnitude and direction of the resultant reaction at the hinged support A. (03)




- c) Prove that angle of friction is equal to angle of repose. (03)  
 d) A force 30 N is acting at point P (3, 2, 1) m. The force makes  $35^\circ$  &  $85^\circ$  with x & y axes respectively. Express the force in vector form. (03)  
 e) The acceleration of the particle is defined by the relation  $a = 25 - 3x^2 \text{ mm/s}^2$ . The particle starts with no initial velocity at the position  $x = 0$ . Determine the position where the velocity is maximum and the corresponding maximum velocity. (03)  
 f) A cricket ball of mass 0.15 kg is moving with a velocity of 20 m/s. A player catches it and brings it to rest in 0.1 s. Find the impulse and average force applied. (03)


- Q 2 Find the coordinate of the centroid for the shaded part of the lamina with respect to given reference axis. (07)
- A) reference axis.




- B) The motion of a particle is defined by the position vector,  $\vec{r} = 5ti + 3t^2j$  where 'r' is in meters and t is in seconds. At the instant when  $t = 2$  sec, find i) Tangential and normal components of accelerations ii) Radius of curvature. (08)
- Q 3 A system of forces acting on a bell crank is as shown in fig. Determine the magnitude, direction and the point of application of the resultant w.r.t. O. (07)
- A)




- B) In the mechanism shown in fig, the angular velocity of link AB is 5 rad/sec anticlockwise. At the instant shown, determine the angular velocity of link BC and velocity of piston C. (08)




- Q 4. Determine the force  $P$  applied at  $30^\circ$  to the horizontal just necessary to start a roller having 50 cm radius over a 12 cm high obstruction, if the roller is of 100 kg mass. Also find the magnitude and direction of  $P$  when it is minimum. (07)




- B) The system shown in figure is initially at rest. Neglecting friction determine the force 'P' required if the velocity of the collar B is 5 m/s after 2 sec and corresponding tension in the cable. (08)



- Q 5. Find the force  $P$  required to pull block B shown in figure. Coefficient of friction between A and B is 0.3 and between B and floor is 0.25. Mass of A = 20 kg and B = 30 kg. (07)




- B) A 3 kg mass kept on a  $30^\circ$  slope is subjected to a variable force  $P = (t^2+3)$ , where P is in 'Newton' and t is in 'second' find velocity of the block after 5 second using Impulse momentum principle. At  $t=0, V=0$ . (08)




Q 6. For the beam loaded as shown in figure, Calculate the support reactions. (07)

A)



B) A simple 2 DOF planar robot is shown. Prepare a D H parameter table and perform forward kinematics to find the location and orientation of end effector B. (08)



\*\*\*\*\*

